

Catalogue



**HAROPA
PORT**
Le Havre
Rouen
Paris

▶ 2026

HEAVY-LIFT TERMINALS

English edition • Heavy-lift terminals catalogue on the Seine axis • Non-binding document

Overview



HAROPA PORT | Le Havre

- Page 5 • Terminal de l'Atlantique
- Page 6 • Terminaux Nord
- Page 7 • Terminal de France
- Page 8 • Terminaux de Normandie
- Page 9 • Terminal roulier
- Page 10 • Quai public Dresser

HAROPA PORT | Rouen

- Page 12 • Terminal de Honfleur
- Page 13 • Terminal de Radicatel
- Page 14 • Terminal de Saint-Wandrille
- Page 15 • TCMD
- Page 16 • Terminal de Grand-Couronne
- Page 17 • Terminal de Petit-Couronne
- Page 18 • Terminal de Rouen Quevilly
- Page 19 • Terminal de l'Ouest

HAROPA PORT | Paris

- Page 21 • Seine aval
- Page 27 • Gennevilliers
- Page 28 • Paris Seine
- Page 32 • Seine amont
- Page 38 • Yonne



1 Terminal de l'Atlantique – HGT

2 Terminaux Nord – GMP

3 Terminal de France – GMP

4 Terminaux de Normandie – TCF

5 Terminal roulier – SHGT/Manucar, SMR

6 Quai public Dresser – HAROPA PORT

Terminal de l'Atlantique

Operator	Hanseatic Global Terminals Le Havre	
Quay length	Atlantique: 800 m	Amériques: 500 m
Theoretical draft	Atlantique: 12.80 m	Amériques: 14.50 m
Lifting height	33-40 m	
Permissible gauge	3,200 t	
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail: 3 tracks of 500 m ✓ Road: A29, A131 freeways ✓ Special transport: 1TE, 2TE48, TE120 	
Certifications	ISPS code compliance	
Services	<ul style="list-style-type: none"> • OOG loading and stowage • Securing general cargo • CCTV terminal • 24/7 security 	




Quay resistance
4 t/sqm



Surface area
35 ha



Activities
Heavy-lift
OOG
Breakbulk
Container



Contact

Mr. Benoît Klein
CEO
+33 6 51 06 89 58
benoit.klein@cnmp.com



HGT Le Havre head office
3744 Quai de l'Atlantique
76600 Le Havre



© HAROPA PORT

Terminaux Nord

Operator	Générale de Manutention Portuaire	
Quay length	Europe: 1,161 m	Amériques: 500 m
Theoretical draft	Europe : 14.30 m	Amériques: 14.50 m
Lifting height	33-40 m	
Permissible gauge	3,200 t	
Equipment	<ul style="list-style-type: none"> • 1 Liebherr mobile crane: 100 t • Storage capacity: 320,000 sqm • Vehicle fleet: 50,000 sqm 	
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail ✓ Road: A29, A131 freeways ✓ Special transport: 1TE, 2TE48, TE120 	
Certifications	<ul style="list-style-type: none"> • AEO status • ISPS code compliance • ISO 9001, 14001, 28000, 45001 standards 	
Services	<ul style="list-style-type: none"> • Direct docking and barge operations • Special handling • Stuffing/unstuffing • Unloading/loading • 24/7 security 	

Contact

Mrs. Nathalie Wagner
Sales Director
+33 7 62 46 29 79
n.wagner@gmportuaire.fr




Quay resistance
6 t/sqm



Surface area
70 ha



Activities
Heavy-lift
Con-Ro
Ro-Ro
Breakbulk
Container



© HAROPA PORT

GMP head office
Avenue du 16^e Port
76600 Le Havre

Terminal de France

Operator	Générale de Manutention Portuaire
Quay length	1,400 m including 200 m for barge, 4 berths
Theoretical draft	15.80 m
Lifting height	40 m
Permissible gauge	3,200 t
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail: terminal station with direct trains, 4 tracks of 1,200 m ✓ Road: A29, A131 freeways ✓ Special transport: 1TE, TE72, TE120
Certifications	<ul style="list-style-type: none"> • AEO status • ISPS code compliance • ISO 9001, 14001, 28000, 45001 standards
Services	<ul style="list-style-type: none"> • Hazardous cargo handling: class 1 • OOG stuffing/unstuffing • 24/7 security




Quay resistance
6 t/sqm



Surface area
90 ha



Activities
Heavy-lift
OOG
Container



© HAROPA PORT

Contact

Mrs. Nathalie Wagner
Sales Director
+33 7 62 46 29 79
n.wagner@gmportuaire.fr



GMP head office
Avenue du 16^e Port
76600 Le Havre

Terminaux de Normandie

Operator	Terminaux à Conteneurs de France (TiL)
Quay length	2,100 m, 6 berths
Theoretical draft	16 m
Lifting height	40-59 m
Permissible gauge	3,200 t
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail: 3 tracks of 830 m, 3 tracks of 500 m ✓ Road: A29, A131 freeways ✓ Special transport: 1TE, TE72, TE120
Certifications	<ul style="list-style-type: none"> • AEO status • ISPS code compliance
Services	<ul style="list-style-type: none"> • Heavy-lift area • CCTV terminal • 24/7 security




Quay resistance
6 t/sqm



Surface area
107 ha



Activities
Heavy-lift
Container




Contact

Mr. Franck Narbonne
COO
+33 6 75 65 27 75
fnarbonne@tnint.com



TiL head office
32 Rue de Colmar
76600 Le Havre



© HAROPA PORT

Terminal roulier

Operators	SHGT/Manucar (Sogena), SMR	
Quay length	Quai Bougainville: 980 m, 3 berths	Quai RORO: 1,150 m, 7 berths
Theoretical draft	9 m	7.70-9.50 m
Lifting height	14-15 m	
Permissible gauge	3,200 t	
Equipment	<ul style="list-style-type: none"> • 1 crane: 650 t • 7 rear ¾ ramps: 25 m • 3 rear axial ramps: 15-20 m • 2 barge berths 	
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail ✓ Road: A29, A131 freeways ✓ Special transport: ITE, TE72, TE120 	
Certifications	<ul style="list-style-type: none"> • AEO status • ISO 28000 standard 	
Services	<ul style="list-style-type: none"> • Enclosed and secure terminal • 24/7 security: sworn port force 	
Positioning	#1 French hub for import/export vehicle traffic	




Quay resistance
2-4 t/sqm



Surface area
104 ha



Activities
Heavy-lift
Ro-Ro
Breakbulk



Contacts

<p>Mr. Alexandre Boquet Director +33 6 12 36 61 67 boquet@shgt.fr</p>		<p>Mr. Erwan Levesque Operations Director +33 6 22 08 21 84 elevesque@smr-france.com</p>	
--	---	---	---

SHGT & SMR head office
182 Quai George V
76600 Le Havre

Quai public Dresser

Owner	HAROPA PORT Le Havre
Quay length	38.2 m
Theoretical draft	5.20 m
Permissible gauge	3,200 t
Connections	<ul style="list-style-type: none">✓ Maritime and river✓ Road: A29, A131 freeways✓ Special transport: ITE, TE72, TE120




Quay resistance
10 t/sqm



Surface area
0.1 ha



Activities
Heavy-lift



Contact

Mr. Patrick Bret
Head of breakbulk development 
+33 6 76 78 99 37
patrick.bret@haropaport.com


HAROPA PORT | Le Havre head office
Terre-plein de la Barre
76600 Le Havre



© HAROPA PORT

HEAVY-LIFT TERMINALS

Rouen



1 Terminal de Honfleur – HLP, Surveyfert

2 Terminal de Radicatel – RMS

6 Terminal St-Wandrille – HAROPA PORT

4 TCMD – AMS, SOMAP

5 Terminal Grand-Couronne – SEA-Invest

6 Terminal Petit-Couronne – Surveyfert

7 Terminal de Rouen Quevilly – Dockseine

8 Terminal de l'Ouest – HAROPA PORT

Terminal de Honfleur

Operators	Honfleur Logistique Portuaire, Surveyfert
Quay length	382.50 m, 3 berths
Theoretical draft	7.50-9 m upon request
Permissible gauge	27,000 t
Equipment	<ul style="list-style-type: none"> • 4 mobile cranes: 45 t, 1 crane: 5-6 t • 21 private warehouses: 82,000 sqm
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Road: A29, A131, A13 freeways ✓ Special transport: 1TE, 2TE48, TE72, TE120
Certifications	<ul style="list-style-type: none"> • AEO status • ISPS code compliance • ISO standards: 9001, 45001
Services	<ul style="list-style-type: none"> • Stuffing/unstuffing • Unloading/loading general cargo
Positioning	#2 port for timber in France





Quay resistance
4 t/sqm



Surface area
30 ha



Activities
Heavy-lift
Dry bulk
Breakbulk



Contacts

Mr. Stéphane Romain
Director
+33 6 71 27 73 95
stephane.romain@hlp.eu.com



Mr. Fabrice Tardy
CEO
+33 6 08 56 17 75
ftardy@orange.fr



HLP head office
Quai en Seine 14600 Honfleur
Surveyfert head office
Quai en Seine BP 10113 14603 Honfleur

Terminal de Radicatel

Operator	Roll Manutention Services (Katoen Natie)
Quay length	420 m
Theoretical draft	10.70 m
Permissible gauge	27,000 t
Equipment	<ul style="list-style-type: none"> • 3 mobile cranes: 64-124-154 t, 4 cranes: 5-6 t • 6 private warehouses: 160,000 sqm • Vehicle fleet: 10,000 sqm • 1 Ro-Ro ramp with a private mobile pontoon • Multimodal one-stop shop
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail: 4 tracks of 400 m ✓ Road: A29, A131, A13 freeways ✓ Special transport: 1TE, 2TE48, TE120
Certification	ISPS code compliance
Services	<ul style="list-style-type: none"> • Stuffing/unstuffing • Crane supply on request • 24/7 security

Contact

Mr. Arnaud Aubry
 RMS terminal Director
 +33 6 72 14 07 69
arnaud.aubry@katoennatie.com




Quay resistance
4 t/sqm



Surface area
17 ha



Activities
 Heavy-lift
 Dry bulk
 Ro-Ro
 Breakbulk
 Container



© HAROPA PORT

RMS head office
 Quai de Radicatel
 76170 Saint-Jean-de-Folleville

Terminal de St-Wandrille

Owner	HAROPA PORT Rouen
Quay length	650 m
Theoretical draft	9.50-10 m
Permissible gauge	27,000 t
Equipment	1 warehouse: 600 sqm
Connections	<ul style="list-style-type: none">✓ Maritime and river✓ Road: A29, A131, A13 freeways✓ Special transport: ITE
Certification	ISPS code compliance



Quay resistance
4 t/sqm



Surface area
14 ha



Activities
Heavy-lift
Dry bulk
Breakbulk



Contact

Mr. Patrick Bret
Head of breakbulk development
+33 6 76 78 99 37
patrick.bret@haropaport.com



HAROPA PORT | Rouen head office
34 Quai du Boisguilbert
76000 Rouen



TCMD

Operators	AMS (Maritime Kuhn), SOMAP (Marfret)
Quay length	1,150 m, 5 berths
Theoretical draft	10.50-11.30 m
Permissible gauge	27,000 t
Equipment	<ul style="list-style-type: none"> • 2 mobile cranes: 100 t – AMS • 1 port shed: 7,000 sqm – 5,000 + 1,000 sqm AMS, 1,000 sqm SOMAP • 3 indoor warehouses: 4,000 sqm • 12 private warehouses: 200,000 sqm • Breakbulk storage capacity: 100,000 sqm
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail ✓ Road: A13, A28, A29 freeways ✓ Special transport: ITE, 2TE48, TE120
Certifications	<ul style="list-style-type: none"> • AEO status • ISPS code compliance • ISO 9001 standard
Services	<ul style="list-style-type: none"> • CCTV terminal • 24/7 security

Contacts

Mr. Bruno Martin
 Director
 +33 6 70 50 97 73
b.martin@ams-mk.com



Mr. Louis Bonnefon
 Director
 +33 6 13 11 24 65
lbonnefon@marfret.fr



AMS head office
 TCMD 76530 Grand-Couronne
SOMAP head office
 15 Boulevard de l'Île aux Oiseaux
 76530 Grand-Couronne




Quay resistance
 6 t/sqm



Surface area
 41 ha



Activities
 Heavy-lift
 Con-Ro
 Ro-Ro
 Breakbulk
 Container



© HAROPA PORT

Terminal Grand-Couronne

Operator	SEA-Invest Rouen
Quay length	1,500 m, 3 berths
Theoretical draft	8-11.20 m
Permissible gauge	27,000 t
Equipment	<ul style="list-style-type: none"> • 3 mobile cranes: 40-50 t • 10 warehouses: 51,700 sqm • Storage of biomass, food products and fertilizers
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail ✓ Road: A13, A28, A29 freeways ✓ Special transport: 1TE, 2TE48, TE120
Certifications	<ul style="list-style-type: none"> • ISPS code compliance • ISO 9001, 45001 standards and GMP+
Services	24/7 security




Quay resistance
3-7.5t/sqm



Surface area
30 ha



Activities
Heavy-lift
Dry bulk
Liquid bulk
Breakbulk



© HAROPA PORT

Contacts

Mr. Nils Beneton 
CEO
+33 6 14 23 48 10
nils.beneton@sea-invest.fr

Mr. Emmanuel Croteau 
Operations Manager
+33 6 08 90 87 87
emmanuel.croteau@sea-invest.fr

SEA-Invest Rouen head office
148 Boulevard maritime
76530 Grand-Couronne

Terminal Petit-Couronne

Operator	Surveyfert
Quay length	350 m
Theoretical draft	11 m
Permissible gauge	27,000 t
Equipment	<ul style="list-style-type: none"> • 3 mobile cranes: up to 35 t • 1 Liebherr crane: 40 t • 3 weighbridges • Indoor storage capacity: 25,000 sqm
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail ✓ Road: A13, A28, A29 freeways ✓ Special transport: 1TE, 2TE48, TE120
Certifications	ISPS code compliance
Services	24/7 security



Quay resistance
4 t/sqm



Surface area
17.5 ha



Activities
Heavy-lift
Dry bulk
Breakbulk



Contact

Mr. Fabrice Tardy
CEO
+33 6 08 56 17 75
ftardy@orange.fr



Surveyfert head office
Quai de Petit-Couronne
76650 Petit-Couronne



© HAROPA PORT

Terminal de Rouen Quevilly

Operator	Dockseine (Sogena)
Quay length	1,200 m, 3 berths
Theoretical draft	6-7 m upon request
Permissible gauge	27,000 t
Equipment	<ul style="list-style-type: none"> • 3 mobile cranes: 40-100 t • 2 Ro-Ro ramps • 7 warehouses: 60,000 sqm • Quadrimodal platform: direct transshipment of vessels, barges and trains
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail ✓ Road: A13, A28, A29 freeways ✓ Special transport: 2TE48, TE120
Certifications	<ul style="list-style-type: none"> • AEO status • ISPS code compliance • ISO 9001 standard and GMP+
Services	<ul style="list-style-type: none"> • Stuffing/unstuffing • Special handling • CCTV terminal • 24/7 security

Contact

Mr. Michel Teste
 Director
 +33 6 08 45 32 47
michel.teste@dockseine.com




Quay resistance
4 t/sqm



Surface area
20 ha



Activities
 Heavy-lift
 Dry bulk
 Ro-Ro
 Breakbulk



© HAROPA PORT

Dockseine head office
 34 Boulevard du Midi
 76100 Rouen

Terminal de l'Ouest

Owner	HAROPA PORT Rouen
Quay length	800 m
Theoretical draft	Upon request
Permissible gauge	27,000 t
Equipment	Outdoor storage capacity: 50,000 sqm
Connections	<ul style="list-style-type: none"> ✓ Maritime and river ✓ Rail: 6 tracks ✓ Road: A13, A28, A29 freeways ✓ Special transport: 1TE, 2TE48, TE120
Certifications	<ul style="list-style-type: none"> • AEO status • ISO 9001 standard and GMP+
Services	<ul style="list-style-type: none"> • Stuffing/unstuffing • CCTV terminal




Quay resistance
4 t/sqm



Surface area
7.5 ha



Activities
Heavy-lift
Breakbulk



Contact

Mr. Patrick Bret
Head of breakbulk development 
+33 6 76 78 99 37
patrick.bret@haropaport.com


HAROPA PORT | Rouen head office
34 Quai du Boisguilbert
76000 Rouen



© HAROPA PORT

HEAVY-LIFT TERMINALS

Paris



Seine aval

- Longueil-Sainte-Marie
- Bruyères-sur-Oise
- Saint-Ouen-l'Aumône
- Limay-Porcheville
- Saint-Denis l'Étoile

Gennevilliers

- Gennevilliers

Paris Seine

- Javel-bas
- Gros Caillou
- Tolbiac

Seine amont

- Bonneuil-sur-Marne
- Évry-Courcouronnes
- Corbeil Saint-Nicolas
- Varennes-sur-Seine
- Montereau-Fault-Yonne
- Bray-sur-Seine

Yonne

- Gron* - Logiyonne

*Partner port

Longueil-Sainte-Marie

Operator	Terminaux de Seine (PTSA)
Quay length	190 m
Theoretical draft	3.50 m
Quay height	4.50 m
Admissible gauge	3,200 t
Equipment	1 weighbridge
Connections	<ul style="list-style-type: none">✓ River: Oise✓ Road: A1, D200 freeways✓ Special transport: 1TE, TE120
Certification	AEO status in progress



Quay resistance
6 t/sqm



Surface area
3.1 ha




Activities
Heavy-lift
Dry bulk
Container



Contact

Mr. Juan-Manuel Suárez 
CEO
+33 1 47 94 33 48
juanmanuel.suarez@paris-terminal.com

Port de Longueil
Boulevard des Bords de l'Oise
60126 Longueil-Sainte-Marie



© Le Parisien

Bruyères-sur-Oise (1)

Operator	Medlog Inland Terminal (MSC)
Quay length	200 m
Theoretical draft	3.50 m
Quay height	3.48 m
Admissible gauge	3,200 t
Equipment	<ul style="list-style-type: none"> • 1 mobile crane: 80 t • 1 weighbridge • 50 truck parking slots
Connections	<ul style="list-style-type: none"> ✓ Maritime ✓ River: Oise ✓ Rail: 2 tracks of 390 m ✓ Road: A16, D4 freeways ✓ Special transport: TE120
Certification	AEO status in progress



Quay resistance
6 t/sqm



Surface area
11 ha



Activities
Heavy-lift
Dry bulk
Breakbulk
Container



Contact

MIT Paris-Bruyères
Customer service
+33 1 57 97 89 27
FRA-terminaldeparis.bruyeres@medlog.com



Port de Bruyères
2 Chemin du Jacloret
95820 Bruyères-sur-Oise



© HAROPA PORT

Bruyères-sur-Oise (2)

Shared-use quay	Quai amont
Real estate module	Ref. 5729
Quay length	100 m
Theoretical draft	3.50 m
Quay height	3.48 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none"> • 2 dolphins • 5 bollards • 5 dock ladders
Connections	<ul style="list-style-type: none"> ✓ River: Oise ✓ Road: A16, D4 freeways ✓ Special transport: TE120
Access control	Automated gate



Quay resistance
6 t/sqm



Surface area
10,000 sqm



Activities
Heavy-lift



Contact

Agence Seine aval
HAROPA PORT | Paris
+33 1 30 92 09 51
asav@haropaport.com



Port de Bruyères
2 Chemin du Jacloret
95820 Bruyères-sur-Oise



© HAROPA PORT

Saint-Ouen-l'Aumône

Shared-use quay	Quai Saint-Ouen-l'Aumône
Real estate module	Ref. 5756
Quay length	80 m
Theoretical draft	3 m
Quay height	3.65 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none">• 2 bollards• 2 dock ladders
Connections	<ul style="list-style-type: none">✓ River: Seine✓ Road: A15, D14 freeways✓ Special transport: ITE, TE120
Access control	Manual gate with code lock



Quay resistance
6 t/sqm



Surface area
2,620 sqm



Activities
Heavy-lift



Contact

Agence Seine aval
HAROPA PORT | Paris
+33 1 30 92 09 51
asav@haropaport.com



Port de Saint-Ouen-l'Aumône
Rue des Fortes Terres
95310 Saint-Ouen-l'Aumône



© HAROPA PORT

Limay-Porcheville

Shared-use quay	QUP1	QUP2	QUP3
Real estate module	Ref. 5735	Ref. 5733	Ref. 5734
Surface area	2,650 sqm	570 sqm	1,875 sqm
Quay length	14 m	60 m	85 m
Theoretical draft	3.50 m	3.50 m	3.50 m
Quay height	3.51 m	3.42 m	3.53 m
Permissible gauge	3,200 t		
Equipment	<ul style="list-style-type: none"> • 4 dolphins • 8 bollards • 7 dock ladders 		
Connections	<ul style="list-style-type: none"> ✓ River: Seine ✓ Road: A13 freeway ✓ Special transport: TE120 		
Access control	Security control station with badge		




Quay resistance
6 t/sqm



Surface area
5,095 sqm



Activities
Heavy-lift



Contact

Agence Seine aval
HAROPA PORT | Paris
+33 1 30 92 09 51
asav@haropaport.com



Port de Limay
Route des Grands Vals
78520 Limay



Saint-Denis l'Étoile

Shared-use quay	Quai Saint-Denis l'Étoile
Real estate module	Ref. 5738
Quay length	64 m
Theoretical draft	3.50 m
Quay height	4.44 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none"> • 1 dolphin • 5 bollards • 5 dock ladders
Connections	<ul style="list-style-type: none"> ✓ River: Seine ✓ Road: A86, A1 freeways ✓ Special transport: TE120
Access control	Manual sliding gate



Quay resistance
6 t/sqm



Surface area
1,567 sqm



Activities
Heavy-lift



Contact

Agence Seine aval
HAROPA PORT | Paris
+33 1 30 92 09 51
asav@haropaport.com



Port de Saint-Denis l'Étoile
Boulevard de la Libération
93200 Saint-Denis

© HAROPA PORT

Gennevilliers (1)

Operator	Paris Terminal SA
Quay length	750 m
Theoretical draft	3.50 m
Quay height	8.60 m
Permissible gauge	3,200 t
Equipment	1 weighbridge
Connections	<ul style="list-style-type: none"> ✓ Maritime ✓ River: Seine ✓ Rail: 3 tracks of 350 m on Darse 1 ✓ Road: A86, A14, A15, A1 freeways ✓ Special transport: TE120
Certifications	<ul style="list-style-type: none"> • AEO status • ISPS compliance • ISO 14001 standard



Quay resistance
6 t/sqm



Surface area
26 ha



Activities
Heavy-lift
OOG
Dry bulk
Container



Contact

Mr. Juan-Manuel Suárez 
CEO
+33 1 47 94 33 48
juanmanuel.suarez@paris-terminal.com

Port de Gennevilliers
Route Principale du Port
92230 Gennevilliers



© HAROPA PORT

Gennevilliers (2)

Shared-use quay	QPS Quai haut
Real estate module	Ref. 5755
Quay length	150 m
Theoretical draft	4 m
Quay height	4.95 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none"> • Several dolphins • 7 bollards • 4 dock ladders
Connections	<ul style="list-style-type: none"> ✓ River: Seine ✓ Road: A86, A14, A15, A1 freeways ✓ Special transport: TE120
Access control	Badge/intercom



Quay resistance
6 t/sqm



Surface area
5,700 sqm



Activities
Heavy-lift
OOG



© HAROPA PORT

Contact

Agence de Gennevilliers
HAROPA PORT | Paris
+331 46 13 98 98
accueilg@haropaport.com



Port de Gennevilliers
Impasse des Petits Marais
92230 Gennevilliers

Javel-bas

Shared-use quay	Quai Javel-bas
Real estate module	Ref. 5748
Quay length	48.87 m
Theoretical draft	3.50 m
Quay height	3.43 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none"> • 6 bollards • 2 dock ladders
Connections	<ul style="list-style-type: none"> ✓ River: Seine ✓ Road: A13 freeway ✓ Special transport: TE120
Access control	Gate



Quay resistance
5 t/sqm



Surface area
980 sqm



Activities
Heavy-lift



Contact

Agence Paris Seine
HAROPA PORT | Paris
+33 1 53 95 54 00
aps@haropaport.com



Port de Javel-bas
Pont Mirabeau
75015 Paris



© HAROPA PORT

Gros Caillou

Shared-use quay	Quai Gros Caillou
Real estate module	Ref. 5747
Quay length	135 m
Theoretical draft	3.20 m
Quay height	1.62 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none">• 3 bollards• 2 dock ladders• 1 electrical terminal
Connections	<ul style="list-style-type: none">✓ River: Seine✓ Road: A13 freeway✓ Special transport: TE120
Access control	Retractable fences and studs



Quay resistance
3 t/sqm



Surface area
1,926 sqm



Activities
Heavy-lift



Contact

Agence Paris Seine
HAROPA PORT | Paris
+33 1 53 95 54 00
aps@haropaport.com



Port de Gros Caillou
Pont des Invalides
75007 Paris



© HAROPA PORT

Tolbiac

Shared-use quay	Quai amont
Real estate module	Ref. 5750
Quay length	82 m
Theoretical draft	3 m
Quay height	4.14 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none">• 6 bollards• 2 dock ladders• Water terminals
Connections	<ul style="list-style-type: none">✓ River: Seine✓ Road: A13, A4 freeways✓ Special transport: TE120
Access control	Port entrance gate




Quay resistance
6 t/sqm



Surface area
1,878 sqm



Activities
Heavy-lift




Contact

Agence Paris Seine
HAROPA PORT | Paris
+33 1 53 95 54 00
aps@haropaport.com



Port de Tolbiac
Quai Panhard et Levassor
75113 Tolbiac



© HAROPA PORT

Bonneuil-sur-Marne

Shared-use quay	QUP1	QUP2	QUP3
Real estate module	Ref. 5769	Ref. 5740	Ref. 5770
Surface area	2,077 sqm	2,127 sqm	2,184 sqm
Quay length	87 m	48 m	62 m
Theoretical draft	3.20 m	3.20 m	3.20 m
Quay height	34.6 m	34.65 m	34.76 m
Permissible gauge	3,200 t		
Equipment	<ul style="list-style-type: none"> • 6 bollards: 10 t • Vehicle unloading facility 		
Connections	<ul style="list-style-type: none"> ✓ River: Marne, 2 locks from Paris ✓ Road: A86, A4, A6, N406 freeways ✓ Special transport: 2TE48, TE120 		
Access control	Key or code given after booking		



Quay resistance
3-6 t/sqm



Surface area
6,388 sqm



Activities
Heavy-lift



Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Bonneuil
Route de la Darse
94380 Bonneuil-sur-Marne



© HAROPA PORT

Évry-Courcouronnes

Shared-use quay	Quai Évry
Real estate module	Ref. 5773
Quay length	133 m
Theoretical draft	2.80 m
Quay height	33.25 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none"> • 4 bollards: 10 t • 1 reinforced area: 18 t/sqm • 1 Ro-Ro ramp
Connections	<ul style="list-style-type: none"> ✓ River: Seine, 3 locks from Paris ✓ Road: A6, N104 freeway ✓ Special transport: ITE, TE72, TE120
Access control	Key or code given after booking



Quay resistance
6 t/sqm



Surface area
4,152 sqm



Activities
Heavy-lift
Dry bulk
Ro-Ro



© HAROPA PORT

Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port d'Évry
Rue des Pavéurs
91000 Évry-Courcouronnes

Corbeil Saint-Nicolas

Shared-use quay	Quai Corbeil Saint-Nicolas
Real estate module	Ref. 5771
Quay length	50 m
Theoretical draft	2.80 m
Quay height	36.2 m
Permissible gauge	3,200 t
Equipment	2 bollards: 10 t
Connections	<ul style="list-style-type: none">✓ River: Seine, 3 locks from Paris✓ Road: A6, N104 freeways✓ Special transport: 1TE, TE72, TE120
Access control	Key or code given after booking



Quay resistance
3.4 t/sqm



Surface area
976 sqm



Activities
Heavy-lift



Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Corbeil Saint-Nicolas
Quai Jacques Bourguin
91100 Corbeil-Essonnes



© HAROPA PORT

Varenes-sur-Seine

Shared-use quay	Quai Varenes-sur-Seine
Real estate module	Ref. 5782
Quay length	58 m
Theoretical draft	3.20 m
Quay height	31.39 m
Permissible gauge	3,200 t
Equipment	4 bollards: 20 t
Connections	<ul style="list-style-type: none">✓ River: Seine✓ Road: A5 freeway✓ Special transport: 1TE, TE72, TE120
Access control	Key or code given after booking



Quay resistance
6 t/sqm



Surface area
4,815 sqm



Activities
Heavy-lift



Contact

Agence Seine amont
HAROPA PORT | Paris
+331 43 39 02 50
accueil-asam@haropaport.com



Port de Varennes-sur-Seine
Chemin du Gué Pucelle
77130 Varennes-sur-Seine

Montereau-Fault-Yonne

Shared-use quay	Quai Montereau
Real estate module	Ref. 5777
Quay length	98 m
Theoretical draft	1.90 m
Quay height	47.54 m
Permissible gauge	3,200 t
Equipment	<ul style="list-style-type: none"> • 3 bollards: 10 t – minute stop at la petite Darse • 2 bollards: 10 t • 2 loading gabions
Connections	<ul style="list-style-type: none"> ✓ River: Seine, 8 locks to Paris ✓ Road: A5 freeway ✓ Special transport: ITE, TE72, TE120
Access control	Code given after booking



Quay resistance
6 t/sqm



Surface area
3,525 sqm



Activities
Heavy-lift
Dry bulk
Breakbulk



© HAROPA PORT

Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Montereau-Fault-Yonne
Rue des Sècherons
77130 Montereau-Fault-Yonne

Bray-sur-Seine

Shared-use quay	QUP 1	QUP 2	QUP 3
Real estate module	Ref. 6059	Ref. 6060	Ref. 6061
Surface area	1,965 sqm	2,391 sqm	1,258 sqm
Quay length	90 m	113 m	95 m
Theoretical draft	2.20 m	2.20 m	2.20 m
Quay height	31.44 m	31.44 m	31.44 m
Permissible gauge	1,000 t		
Equipment	<ul style="list-style-type: none"> • 3 bollards: 20 t • 1 reinforced area: 18 t/sqm 		
Connections	<ul style="list-style-type: none"> ✓ River: Seine ✓ Road: A5, N104 freeways ✓ Special transport: TE120 		




Quay resistance
3-6 t/sqm



Surface area
5,614 sqm



Activities
Heavy-lift
Dry bulk



Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Bray-sur-Seine
Quai de l'Île
77480 Bray-sur-Seine



© HAROPA PORT

Gron

Operator	Logiyonne
Quay length	120 m including 90 m of public quay
Theoretical draft	1.90 m
Quay height	5.50 m
Permissible gauge	650 T
Equipment	<ul style="list-style-type: none"> • Aerial work platform, forklifts, reach stacker • Several cranes including 2: 250 t • Several bollards and dock ladders • Bridge over PLM track: 240 t • 1 Ro-Ro ramp • Outdoor storage capacity: 25,000 sqm
Connections	<ul style="list-style-type: none"> ✓ River: Yonne ✓ Road: A5, A19, A10, A6 freeways ✓ Special transport: 2TE48, TE94, TE120
Certifications	<ul style="list-style-type: none"> • AEO status • ISPS code compliance • ISO 9001, 45001 standards • Lashing and securing training (river-road and maritime)
Services	<ul style="list-style-type: none"> • CCTV terminal • 24/7 security
Access control	Hand-delivered to the guard post

Contact

Mr. David Buquet
 CEO
 +33 7 78 04 10 33
david.buquet@logiyonne.com




Quay resistance
6 t/sqm



Surface area
21,000 sqm



Activities
Heavy-lift
Ro-Ro
Breakbulk



© Logiyonne

Port de Gron
 Rue du Port au Vin
 89100 Gron

Contact

Mr. Patrick Bret
Head of development
Short sea, breakbulk, export groupage

☎ +33 6 76 78 99 37

✉ patrick.bret@haropaport.com

LE HAVRE

ROUEN

PARIS BASIN

Head office
71 Quai Colbert
76600 Le Havre
☎ +33 2 79 18 05 00



🖱️ [www.](http://www.haropaport.com)



Discover our land, real estate and shared-use quay offers
[# realestate.haropaport.com](https://realestate.haropaport.com)

Discover our current site development opportunities
[# calls for projects](#)
[# calls for expressions of interest](#)