



Catalogue



HAROPA
PORT Le Havre
Rouen
Paris

River-maritime

Heavy-lift terminals and quays on the Seine axis

Heavy-lift terminals & quays on the Seine axis

HAROPA PORT | Le Havre

- Page 5 • Terminal de l'Atlantique
- Page 6 • Terminaux Nord
- Page 7 • Terminal de France
- Page 8 • Terminaux de Normandie
- Page 9 • Terminal roulier
- Page 10 • Quai public Dresser

HAROPA PORT | Rouen

- Page 12 • Terminal de Honfleur
- Page 13 • Terminal de Radicatel
- Page 14 • Terminal de Saint-Wandrille
- Page 15 • TCMD
- Page 16 • Terminal Grand-Couronne
- Page 17 • Terminal Petit-Couronne
- Page 18 • Terminal de Rouen Quevilly
- Page 19 • Terminal de l'Ouest

HAROPA PORT | Paris

- Page 21 • Seine aval
- Page 27 • Gennevilliers
- Page 28 • Paris Seine
- Page 32 • Seine amont
- Page 38 • Yonne



Heavy-lift

Maritime heavy-lift terminals and quay port area of Le Havre



- | | | | | | |
|---|-------------------------------------|---|--|---|---|
| 1 | Terminal de l'Atlantique
CNMPLH | 2 | Terminaux Nord
GMP | 3 | Terminal de France
GMP |
| 4 | Terminaux de Normandie
TCF (TiL) | 5 | Terminal roulier
SHGT/Manucar (Sogena); SMR | 6 | Quai public Dresser
HAROPA PORT Le Havre |

Terminal de l'Atlantique

Operator	Compagnie Nouvelle de Manutention Portuaire	
Quay length	Atlantique: 800 m	Amériques: 500 m
Theoretical draft	Atlantique: 12.80 m	Amériques: 14.50 m
Lifting height	33-40 m	
Permissible gauge	3,200 t	
Connections	✓ Special transport: 1TE, 2TE48, TE120 ✓ Road: A29, A131 freeways ✓ River and maritime: direct barge access ✓ Rail: 3 tracks of 500 m	
Certifications	ISPS code compliance	
Services	• OOG loading and stowage • Securing general cargo • CCTV terminal • 24/7 security	




Quay resistance
4 t/sqm



Surface area
35 ha



Maritime activities
Heavy-lift
OOG
Breakbulk
Container



© HAROPA PORT

Contact

Mr. François Verdier
 Technical Director
 +33 6 14 31 84 80
francois.verdier@cnmp.com

CNMP LH head office
3744 Quai de l'Atlantique
76600 Le Havre

Terminaux Nord

Operator	Générale de Manutention Portuaire	
Quay length	Europe: 1,161 m	Amériques: 500 m
Theoretical draft	Europe : 14.30 m	Amériques: 14.50 m
Lifting height	33-40 m	
Permissible gauge	3,200 t	
Equipment	• 1 Liebherr mobile crane: 100 t • Storage capacity: 320,000 sqm • Vehicle fleet: 50,000 sqm	
Connections	✓ Special transport: 1TE, 2TE48, TE120 ✓ Road: A29, A131 freeways ✓ River and maritime: direct barge access ✓ Rail	
Certifications	• AEO status • ISPS code compliance • ISO 9001, 14001, 28000, 45001 standards	
Services	• Direct docking and barge operations • Special handling • Stuffing/unstuffing • Unloading/loading • 24/7 security	





Quay resistance
6 t/sqm



Surface area
70 ha



Maritime activities
Heavy-lift
Con-Ro
Ro-Ro
Breakbulk
Container



© HAROPA PORT

Contact

Mrs. Nathalie Wagner
Sales Director
+33 7 62 46 29 79
n.wagner@gmportuaire.fr



GMP head office
Avenue du 16^e Port
76600 Le Havre

Terminal de France

Operator	Générale de Manutention Portuaire
Quay length	1,400 m including 200 m for barge; 4 berths
Theoretical draft	15.80 m
Lifting height	40 m
Permissible gauge	3,200 t
Connections	✓ Special transport: 1TE, TE72, TE120 ✓ Road: A29, A131 freeways ✓ River and maritime: direct barge access ✓ Rail: terminal station with direct trains; 4 tracks of 1,200 m
Certifications	• AEO status • ISPS code compliance • ISO 9001, 14001, 28000, 45001 standards
Services	• Hazardous goods handling: class 1 • OOG stuffing/unstuffing • 24/7 security




Quay resistance
6 t/sqm



Surface area
90 ha



Maritime activities
Heavy-lift
OOG
Container



Contact

Mrs. Nathalie Wagner
Sales Director
+33 7 62 46 29 79
n.wagner@gmportuaire.fr



GMP head office
Avenue du 16^e Port
76600 Le Havre



© HAROPA PORT

Terminaux de Normandie

Operator	Terminaux à Conteneurs de France (TiL)
Quay length	2,100 m; 6 berths
Theoretical draft	16 m
Lifting height	40-59 m
Permissible gauge	3,200 t
Connections	✓ Special transport: 1TE, TE72, TE120 ✓ Road: A29, A131 freeways ✓ River and maritime: direct barge access ✓ Rail: 3 tracks of 830 m; 3 tracks of 500 m
Certifications	• AEO status • ISPS code compliance
Services	• Heavy-lift area • CCTV terminal • 24/7 security

Contact

Mr. Franck Narbonne
 COO
 +33 6 75 65 27 75
fnarbonne@tnint.com





Quay resistance
 6 t/sqm



Surface area
 107 ha



Maritime activities
 Heavy-lift
 Container



Terminal roulier

Operators	SHGT/Manucar (Sogena); SMR	
Quay length	Quai Bougainville: 980 m; 3 berths	Quai RORO: 1,150 m; 7 berths
Theoretical draft	9 m	7.70-9.50 m
Lifting height	14-15 m	
Permissible gauge	3,200 t	
Equipment	• 1 crane: 650 t • 7 rear ¾ ramps: 25 m • 3 rear axial ramps: 15-20 m	
Connections	✓ Special transport: 1TE, TE72, TE120 ✓ Road: A29, A131 freeways ✓ River: 2 barge berths ✓ Maritime: direct barge access ✓ Rail	
Certifications	• AEO status • ISO 28000 standard	
Services	• Enclosed and secure terminal • 24/7 security: sworn port force	
Positioning	#1 French hub for import/export vehicle traffic	

Contacts		
Mr. Alexandre Boquet Director +33 6 12 36 61 67 boquet@shgt.fr		Mr. Erwan Levesque Operations Director +33 6 22 08 21 84 elevesque@smr-france.com
		



Quay resistance
2-4 t/sqm



Surface area
104 ha



Maritime activities
Heavy-lift
Ro-Ro
Breakbulk



Quai public Dresser

Owner	HAROPA PORT Le Havre
Quay length	38.2 m
Theoretical draft	5.20 m
Permissible gauge	3,200 t
Connections	✓ Special transport: ITE, TE72, TE120 ✓ Road: A29, A131 freeways ✓ River




Quay resistance
10 t/sqm



Surface area
0.1 ha



Maritime activities
Heavy-lift



Contact

Mr. Patrick Bret

Head of breakbulk development

+33 6 76 78 99 37

patrick.bret@haropaport.com




HAROPA PORT | Le Havre head office
Terre-plein de la Barre
76600 Le Havre



© HAROPA PORT

Maritime heavy-lift terminals port area of Rouen



- | | | | | | |
|---|--|---|---|---|--|
| 1 | Terminal de Honfleur
HLP; Surveyfert | 2 | Terminal de Radicatel
RMS (Katoen Natie) | 3 | Terminal de Saint-Wandrille
HAROPA PORT Rouen |
| 4 | TCMD
AMS; SOMAP (Marfret) | 5 | Terminal Grand-Couronne
SEA-Invest Rouen | 6 | Terminal Petit-Couronne
Surveyfert |
| 7 | Terminal de Rouen Quevilly
Dockseine (Sogena) | 8 | Terminal de l'Ouest
HAROPA PORT Rouen | | |

Terminal de Honfleur

Operators	Honfleur Logistique Portuaire; Surveyfert
Quay length	382.50 m; 3 berths
Theoretical draft	7.50–9 m upon request
Permissible gauge	27,000 t
Equipment	• 4 mobile cranes: 45 t; 1 crane: 5–6 t • 21 private warehouses: 82,000 sqm
Connections	✓ Special transport: 1TE, 2TE48, TE72, TE120 ✓ Road: A29, A131, A13 freeways ✓ River and maritime: direct access to Port 2000
Certifications	• AEO status • ISPS code compliance • ISO standards: 9001, 45001
Services	• Stuffing/unstuffing • Unloading/loading general cargo
Positioning	#2 port for timber in France





Quay resistance
4 t/sqm



Surface area
30 ha



Maritime activities
Heavy-lift
Dry bulk
Breakbulk



© HAROPA PORT

Contacts

Mr. Stéphane Romain
Director
+33 6 71 27 73 95
stephane.romain@hlp.eu.com



Mr. Fabrice Tardy
CEO
+33 6 08 56 17 75
ftardy@orange.fr



HLP head office
Quai en Seine 14600 Honfleur
Surveyfert head office
Quai en Seine BP 10113 14603 Honfleur

Terminal de Radcatel

Operator	Roll Manutention Services (Katoen Natie)
Quay length	420 m
Theoretical draft	10.70 m
Permissible gauge	27,000 t
Equipment	• 3 mobile cranes: 64-124-154 t; 4 cranes: 5-6 t • 6 private warehouses: 160,000 sqm • 10,000 sqm of vehicle fleet • 1 Ro-Ro ramp with a private mobile pontoon • Multimodal one-stop shop
Connections	✓ Special transport: 1TE, 2TE48, TE120 ✓ Road: A29, A131, A13 freeways ✓ River ✓ Rail: 4 tracks of 400 m
Certification	ISPS code compliance
Services	• Stuffing/unstuffing • Crane supply on request • 24/7 security

Contact

Mr. Arnaud Aubry
RMS terminal Director
+33 6 72 14 07 69
arnaud.aubry@katoennatie.com



Quay resistance
4 t/sqm



Surface area
17 ha



Maritime activities
Heavy-lift
Ro-Ro
Dry bulk
Breakbulk
Container



© HAROPA PORT

RMS head office
Quai de Radcatel
76170 Saint-Jean-de-Folleville

Terminal de St-Wandrille

Owner	HAROPA PORT Rouen
Quay length	650 m
Theoretical draft	9.50-10 m
Permissible gauge	27,000 t
Equipment	1 warehouse: 600 sqm
Connections	✓ Special transport: 1TE ✓ Road: A13 freeway ✓ River
Certification	ISPS code compliance



Quay resistance
4 t/sqm



Surface area
14 ha



Maritime activities
Heavy-lift
Dry bulk
Breakbulk



Contact

Mr. Patrick Bret

Head of breakbulk development

+33 6 76 78 99 37

patrick.bret@haropaport.com



HAROPA PORT | Rouen head office
34 Quai du Boisguilbert
76000 Rouen



TCMD

Operators	AMS (Maritime Kuhn); SOMAP (Marfret)
Quay length	1,150 m; 5 berths
Theoretical draft	10.50-11.30 m
Permissible gauge	27,000 t
Equipment	• 2 mobile cranes: 100 t – AMS • 1 port shed: 7,000 sqm – 5,000 + 1,000 sqm AMS; 1,000 sqm SOMAP • 3 indoor warehouses: 4,000 sqm • 12 private warehouses: 200,000 sqm • Breakbulk storage capacity: 100,000 sqm
Connections	✓ Special transport: 1TE, 2TE48, TE120 ✓ Road: A13, A28, A29 freeways ✓ River and maritime: direct access to Port 2000 ✓ Rail
Certifications	• AEO status • ISPS code compliance • ISO 9001 standard
Services	• CCTV terminal • 24/7 security

Contacts

Mr. Bruno Martin
Director
+33 6 70 50 97 73
b.martin@ams-mk.com



Mr. Louis Bonnefon
Director
+33 6 13 11 24 65
lbonnefon@marfret.fr




Quay resistance
6 t/sqm



Surface area
41 ha



Maritime activities
Heavy-lift
Con-Ro
Ro-Ro
Breakbulk
Container



© HAROPA PORT

Terminal Grand-Couronne

Operator	SEA-Invest Rouen
Quay length	1,500 m; 3 berths
Theoretical draft	8-11.20 m
Permissible gauge	27,000 t
Equipment	• 3 mobile cranes: 40-50 t • 10 warehouses: 51,700 sqm • Storage of biomass, food products and fertilizers
Connections	✓ Special transport: 1TE, 2TE48, TE120 ✓ Road: A13, A28, A29 freeways ✓ River ✓ Rail
Certifications	• ISPS code compliance • ISO 9001, 45001 standards and GMP+
Services	24/7 security




Quay resistance
3-7.5 t/sqm



Surface area
30 ha



Maritime activities
Heavy-lift
Dry bulk
Breakbulk



© HAROPA PORT

Contacts

Mr. Nils Beneton
CEO
+33 6 14 23 48 10
nils.beneton@sea-invest.fr



Mr. Emmanuel Croteau
Operations Manager
+33 6 08 90 87 87
emmanuel.croteau@sea-invest.fr



SEA-Invest Rouen head office
148 Boulevard maritime
76530 Grand-Couronne

Terminal Petit-Couronne

Operator	Surveyfert
Quay length	350 m
Theoretical draft	11 m
Permissible gauge	27,000 t
Equipment	• 3 mobile cranes: up to 35 t • 1 Liebherr crane: 40 t • 3 weighbridges • Indoor storage capacity: 25,000 sqm
Connections	✓ Special transport: 1TE, 2TE48, TE120 ✓ Road: A13 freeway ✓ River ✓ Rail
Certifications	ISPS code compliance
Services	24/7 security



Quay resistance
4 t/sqm



Surface area
17.5 ha



Maritime activities
Heavy-lift
Dry bulk
Breakbulk



Contact

Mr. Fabrice Tardy
CEO
+33 6 08 56 17 75
ftardy@orange.fr



Surveyfert head office
Quai de Petit-Couronne
76650 Petit-Couronne



© HAROPA PORT

Terminal de Rouen Quevilly

Operator	Dockseine (Sogena)
Quay length	1,200 m; 3 berths
Theoretical draft	6–7 m upon request
Permissible gauge	27,000 t
Equipment	• 3 mobile cranes: 40–100 t • 2 Ro-Ro ramps • 7 warehouses: 60,000 sqm • Quadrimodal platform: direct transshipment of vessels, barges and trains
Connections	✓ Special transport: 2TE48, TE120 ✓ Road: A13 freeway ✓ River ✓ Rail
Certifications	• AEO status • ISPS code compliance • ISO 9001 standard and GMP+
Services	• Stuffing/unstuffing • Special handling • CCTV terminal • 24/7 security

Contact

Mr. Michel Teste
Director
+33 6 08 45 32 47
michel.teste@dockseine.com




Quay resistance
4 t/sqm



Surface area
20 ha



Maritime activities
Heavy-lift
Ro-Ro
Dry bulk
Breakbulk



© HAROPA PORT

Dockseine head office
34 Boulevard du Midi
76100 Rouen

Terminal de l'Ouest

Owner	HAROPA PORT Rouen
Quay length	800 m
Theoretical draft	Upon request
Permissible gauge	27,000 t
Equipment	Outdoor storage capacity: 50,000 sqm
Connections	✓ Special transport: 1TE, 2TE48, TE120 ✓ Road: A13 freeway ✓ River ✓ Rail: 6 connections
Certifications	• AEO status • ISO 9001 standard and GMP+
Services	• Stuffing/unstuffing • CCTV terminal

Contact

Mr. Patrick Bret
Head of breakbulk development
+33 6 76 78 99 37
patrick.bret@haropaport.com




Quay resistance
4 t/sqm



Surface area
7.5 ha




Maritime activities
Heavy-lift
Breakbulk



© HAROPA PORT

HAROPA PORT | Rouen head office
34 Quai du Boisguilbert
76000 Rouen

River heavy-lift terminals and quays port area of Paris



Seine aval

- Longueil-Sainte-Marie* (60)
- Bruyères-sur-Oise (95)
- Saint-Ouen-l'Aumône (95)
- Limay-Porcheville (78)
- Saint-Denis l'Étoile (93)

Gennevilliers

- Gennevilliers (92)

Paris Seine

- Javel-bas (75)
- Gros Caillou (75)
- Tolbiac (75)

Seine amont

- Bonneuil-sur-Marne (94)
- Évry-Courcouronnes (91)
- Corbeil Saint-Nicolas (91)
- Varennes-sur-Seine (77)
- Montereau-Fault-Yonne (77)
- Bray-sur-Seine (77)

Yonne

- Gron* (89)

Longueil-Sainte-Marie

Operator	Terminaux de Seine
Quay length	190 m
Theoretical draft	3.50 m
Quay height	4.50 m
Admissible gauge	3,200 t
Equipment	1 weighbridge
Connections	✓ Special transport: 1TE, TE120 ✓ Road: A1, RD200 freeways ✓ River: Oise
Certification	AEO status in progress




Quay resistance
6 t/sqm



Surface area
3.1 ha



River activities
Heavy-lift
Container



Contact

Mr. Juan-Manuel Suárez 
CEO
+33 1 47 94 33 48
juanmanuel.suarez@paris-terminal.com

Port de Longueil
Boulevard des Bords de l'Oise
60126 Longueil-Sainte-Marie



© Le Parisien

Bruyères-sur-Oise

Operator	Medlog Inland Terminal (MSC)
Quay length	200 m
Theoretical draft	3.50 m
Quay height	3.48 m
Admissible gauge	3,200 t
Equipment	• 1 mobile crane: 80 t • 1 weighbridge • 50 truck parking slots
Connections	✓ Special transport: TE120 ✓ Road: A16, D4 freeways ✓ Maritime: direct access to Port 2000 ✓ River: Oise ✓ Rail: 2 tracks of 390 m
Certification	AEO status in progress



Quay resistance
6 t/sqm



Surface area
11 ha



River activities
Heavy-lift
Dry bulk
Breakbulk
Container



Contact

MIT Paris-Bruyères

Customer service

+33 1 57 97 89 27

FRA-terminaldeparis.bruyeres@medlog.com

MEDLOG

Port de Bruyères
2 Chemin du Jacloret
95820 Bruyères-sur-Oise



© HAROPA PORT

Bruyères-sur-Oise

Shared-use quay	Quai amont
Real estate module	Ref. 5729
Quay length	100 m
Theoretical draft	3.50 m
Quay height	3.48 m
Permissible gauge	3,200 t
Equipment	• 2 dolphins • 5 bollards • 5 dock ladders
Connections	✓ Special transport: TE120 ✓ Road: A16, D4 freeways ✓ River: Oise
Access control	Automated gate



Quay resistance
6 t/sqm



Surface area
10,000 sqm



River activities
Heavy-lift



Contact

Agence Seine aval
HAROPA PORT | Paris
+33 1 30 92 09 51
asav@haropaport.com



Port de Bruyères
2 Chemin du Jacloret
95820 Bruyères-sur-Oise



© HAROPA PORT

Saint-Ouen-l'Aumône

Shared-use quay	Quai Saint-Ouen-l'Aumône
Real estate module	Ref. 5756
Quay length	80 m
Theoretical draft	3 m
Quay height	3.65 m
Permissible gauge	3,200 t
Equipment	• 2 bollards • 2 dock ladders
Connections	✓ Special transport: ITE, TE120 ✓ Road: A15, D14 freeways ✓ River: Seine
Access control	Manual gate with code lock



Quay resistance
6 t/sqm



Surface area
2,620 sqm



River activities
Heavy-lift



Contact

Agence Seine aval
HAROPA PORT | Paris
+33 1 30 92 09 51
asav@haropaport.com



Port de Saint-Ouen-l'Aumône
Rue des Fortes Terres
95310 Saint-Ouen-l'Aumône



Limay-Porcheville

Shared-use quay	QUP1	QUP2	QUP3
Real estate module	Ref. 5735	Ref. 5733	Ref. 5734
Surface area	2,650 sqm	570 sqm	1,875 sqm
Quay length	14 m	60 m	85 m
Theoretical draft	3.50 m	3.50 m	3.50 m
Quay height	3.51 m	3.42 m	3.53 m
Permissible gauge	3,200 t		
Equipment	• 4 dolphins • 8 bollards • 7 dock ladders		
Connections	✓ Special transport: TE120 ✓ Road: A13 freeway ✓ River: Seine ✓ Rail		
Access control	Security control station with badge		



Quay resistance
6 t/sqm



Surface area
5,095 sqm



River activities
Heavy-lift



Contact

Agence Seine aval
HAROPA PORT | Paris
+33 1 30 92 09 51
asav@haropaport.com



Port de Limay
Route des Grands Vals
78520 Limay



© HAROPA PORT

Saint-Denis l'Étoile

Shared-use quay	Quai Saint-Denis l'Étoile
Real estate module	Ref. 5738
Quay length	64 m
Theoretical draft	3.50 m
Quay height	4.44 m
Permissible gauge	3,200 t
Equipment	• 1 dolphin • 5 bollards • 5 dock ladders
Connections	✓ Special transport: TE120 ✓ Road: A86, A1 freeways ✓ River: Seine
Access control	Manual sliding gate



Quay resistance
6 t/sqm



Surface area
1,567 sqm



River activities
Heavy-lift



Contact

Agence Seine aval
HAROPA PORT | Paris
+33 1 30 92 09 51
asav@haropaport.com



Port de Saint-Denis-l'Étoile
Boulevard de la Libération
93200 Saint-Denis



© HAROPA PORT

Gennevilliers

Operator	Paris Terminal SA
Quay length	750 m
Theoretical draft	3.50 m
Quay height	8.60 m
Permissible gauge	3,200 t
Equipment	1 weighbridge
Connections	✓ Special transport: TE120 ✓ Road: A86, A14, A15, A1 freeways ✓ Maritime: direct access to Port 2000 ✓ River: Seine ✓ Rail: 3 tracks of 350 m on Darse 1
Certifications	• AEO status • ISPS compliance • ISO 14001 standard

Contact

Mr. Juan-Manuel Suárez
 CEO
 +33 1 47 94 33 48
juanmanuel.suarez@paris-terminal.com





Quay resistance
6 t/sqm



Surface area
26 ha



River activities
Heavy-lift
OOG
Container



© HAROPA PORT

Port de Gennevilliers
Route Principale du Port
92230 Gennevilliers

Gennevilliers

Shared-use quay	QPS Quai haut
Real estate module	Ref. 5755
Quay length	150 m
Theoretical draft	4 m
Quay height	4.95 m
Permissible gauge	3,200 t
Equipment	• Several dolphins • 7 bollards • 4 dock ladders
Connections	✓ Special transport: TE120 ✓ Road: A86, A14, A15, A1 freeways ✓ River: Seine ✓ Rail: 3 tracks of 350 m on Darse 1
Access control	Badge/intercom




Quay resistance
6 t/sqm



Surface area
5,700 sqm



River activities
Heavy-lift
OOG




Contact

Agence de Gennevilliers
HAROPA PORT | Paris
+33 1 46 13 98 98
accueilg@haropaport.com



Port de Gennevilliers
Impasse des Petits Marais
92230 Gennevilliers



© HAROPA PORT

Javel-bas

Shared-use quay	Quai Javel-bas
Real estate module	Ref. 5748
Quay length	48.87 m
Theoretical draft	3.50 m
Quay height	3.43 m
Permissible gauge	3,200 t
Equipment	• 6 bollards • 2 dock ladders
Connections	✓ Special transport: TE120 ✓ Road: A13 freeway ✓ River: Seine
Access control	Gate



Quay resistance
5 t/sqm



Surface area
980 sqm



River activities
Heavy-lift



Contact

Agence Paris Seine
HAROPA PORT | Paris
+33 1 53 95 54 00
aps@haropaport.com



Port de Javel-bas
Pont Mirabeau
75015 Paris



© HAROPA PORT

Gros Caillou

Shared-use quay	Quai Gros Caillou
Real estate module	Ref. 5747
Quay length	135 m
Theoretical draft	3.20 m
Quay height	1.62 m
Permissible gauge	3,200 t
Equipment	• 3 bollards • 2 dock ladders • 1 electrical terminal
Connections	✓ Special transport: TE120 ✓ Road: A13 freeway ✓ River: Seine
Access control	Retractable fences and studs



Quay resistance
3 t/sqm



Surface area
1,926 sqm



River activities
Heavy-lift



Contact

Agence Paris Seine
HAROPA PORT | Paris
+33 1 53 95 54 00
aps@haropaport.com



Port de Gros Caillou
Pont des Invalides
75007 Paris



© HAROPA PORT

Tolbiac

Shared-use quay	Quai amont
Real estate module	Ref. 5750
Quay length	82 m
Theoretical draft	3 m
Quay height	4.14 m
Permissible gauge	3,200 t
Equipment	• 6 bollards • 2 dock ladders • Water terminals
Connections	✓ Special transport: TE120 ✓ Road: A13, A4 freeways ✓ River: Seine
Access control	Port entrance gate

Contact

Agence Paris Seine
HAROPA PORT | Paris
+33 1 53 95 54 00
aps@haropaport.com






Quay resistance
6 t/sqm



Surface area
1,878 sqm



River activities
Heavy-lift



© HAROPA PORT

Port de Tolbiac
Quai Panhard et Levassor
75113 Tolbiac

Bonneuil-sur-Marne

Shared-use quay	QUP1	QUP2	QUP3
Real estate module	Ref. 5769	Ref. 5740	Ref. 5770
Surface area	2,077 sqm	2,127 sqm	2,184 sqm
Quay length	87 m	48 m	62 m
Theoretical draft	3.20 m	3.20 m	3.20 m
Quay height	34.6 m	34.65 m	34.76 m
Permissible gauge	3,200 t		
Equipment	• 6 bollards: 10 t • Vehicle unloading facility		
Connections	✓ Special transport: 2TE48, TE120 ✓ Road: A86, A6, A4, N406 freeways ✓ River: Marne; 2 locks from Paris ✓ Rail: direct connection to the rail terminal		
Access control	Key or code given after booking		



Quay resistance
3-6 t/sqm



Surface area
6,388 sqm



River activities
Heavy-lift



Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Bonneuil
Route de la Darse
94380 Bonneuil-sur-Marne



© HAROPA PORT

Évry-Courcouronnes

Shared-use quay	Quai Évry
Real estate module	Ref. 5773
Quay length	133 m
Theoretical draft	2.80 m
Quay height	33.25 m
Permissible gauge	3,200 t
Equipment	• 4 bollards: 10 t • 1 reinforced area: 18 t/sqm • 1 Ro-Ro ramp
Connections	✓ Special transport: 1TE, TE72, TE120 ✓ Road: A6, A118 freeway ✓ River: Seine; 3 locks from Paris ✓ Rail
Access control	Key or code given after booking



Quay resistance
6 t/sqm



Surface area
4,152 sqm



River activities
Heavy-lift
Ro-Ro
Dry bulk



Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port d'Évry
Rue des Pavéurs
91000 Évry-Courcouronnes



© HAROPA PORT

Corbeil Saint-Nicolas

Shared-use quay	Quai Corbeil Saint-Nicolas
Real estate module	Ref. 5771
Quay length	50 m
Theoretical draft	2.80 m
Quay height	36.2 m
Permissible gauge	3,200 t
Equipment	2 bollards: 10 t
Connections	✓ Special transport: 1TE, TE72, TE120 ✓ Road: A6 freeway ✓ River: Seine; 3 locks from Paris
Access control	Key or code given after booking



Quay resistance
3.4 t/sqm



Surface area
976 sqm



River activities
Heavy-lift



Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Corbeil Saint-Nicolas
Quai Jacques Bourguin
91100 Corbeil-Essonnes



© HAROPA PORT

Varennnes-sur-Seine

Shared-use quay	Quai Varennnes-sur-Seine
Real estate module	Ref. 5782
Quay length	58 m
Theoretical draft	3.20 m
Quay height	31.39 m
Permissible gauge	3,200 t
Equipment	4 bollards: 20 t
Connections	✓ Special transport: 1TE, TE72, TE120 ✓ Road: A5 freeway ✓ River: Seine
Access control	Key or code given after booking



Quay resistance
6 t/sqm



Surface area
4,815 sqm



River activities
Heavy-lift



Contact

Agence Seine amont
 HAROPA PORT | Paris
 +33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Varennnes-sur-Seine
Chemin du Gué Pucelle
77130 Varennnes-sur-Seine



Montereau-Fault-Yonne

Shared-use quay	Quai Montereau
Real estate module	Ref. 5777
Quay length	98 m
Theoretical draft	1.90 m
Quay height	47.54 m
Permissible gauge	3,200 t
Equipment	• 3 bollards: 10 t – minute stop at la petite Darse • 2 bollards: 10 t • 2 loading gabions
Connections	✓ Special transport: 1TE, TE72, TE120 ✓ Road: A5 freeway ✓ River: Seine; 8 locks to Paris
Access control	Code given after booking



Quay resistance
6 t/sqm



Surface area
3,525 sqm



River activities
Heavy-lift
Dry bulk
Breakbulk



Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Montereau-Fault-Yonne
Rue des Sècherons
77130 Montereau-Fault-Yonne



© HAROPA PORT

Bray-sur-Seine

Shared-use quay	QUP1	QUP2	QUP3
Real estate module	Ref. 6059	Ref. 6060	Ref. 6061
Surface area	1,965 sqm	2,391 sqm	1,258 sqm
Quay length	90 m	113 m	95 m
Theoretical draft	2.20 m	2.20 m	2.20 m
Quay height	31.44 m	31.44 m	31.44 m
Permissible gauge	1,000 t		
Equipment	• 3 bollards: 20 t • 1 reinforced area: 18 t/sqm		
Connections	✓ Special transport: TE120 ✓ Road: A5, N6, N104, D412 freeways ✓ River: Seine		




Quay resistance
3-6 t/sqm



Surface area
5,614 sqm



River activities
Heavy-lift
Dry bulk



Contact

Agence Seine amont
HAROPA PORT | Paris
+33 1 43 39 02 50
accueil-asam@haropaport.com



Port de Bray-sur-Seine
Quai de l'Île
77480 Bray-sur-Seine



© HAROPA PORT

Gron

Operator	Logiyonne
Quay length	120 m including 90 m of public quay
Theoretical draft	1.90 m
Quay height	5.50 m
Permissible gauge	650 T
Equipment	• Aerial work platform, forklifts, reach stacker • Several cranes including 2: 250 t • Several bollards and dock ladders • 1 Ro-Ro ramp • Outdoor storage capacity: 25,000 sqm
Connections	✓ Special transport: 2TE48, TE94, TE120 ✓ Bridge over PLM track: 240 t ✓ Road: A5, A19, A10, A6 freeways ✓ River: Yonne
Certifications	• AEO status • ISPS code compliance • ISO 9001, 45001 standards • Lashing and securing training (river-road and maritime)
Services	• CCTV terminal • 24/7 security
Access control	Hand-delivered to the guard post

Contact

Mr. David Buquet
CEO

+33 7 78 04 10 33

david.buquet@logiyonne.com



Quay resistance

6 t/sqm



Surface area

21,000 sqm




River activities

Heavy-lift

Ro-Ro

Breakbulk




© Logiyonne

Port de Gron


Rue du Port au Vin
89100 Gron



Contact



LE HAVRE INDUSTRIAL
PORT AREA



ROUEN INDUSTRIAL
PORT AREA

HAROPA PORT

Head office

71 Quai Colbert
76600 Le Havre

+33 2 79 18 05 00



PARIS BASIN

Mr. Patrick Bret

Head of development

Short sea, breakbulk, export groupage

+33 6 76 78 99 37

patrick.bret@haropaport.com



More information

on our land, real estate and shared-use quay offers

► realestate.haropaport.com

on our current site development opportunities

► [call for projects](#)

► [call for expression of interest](#)